

Tech Specs

UniFi UISP Branding


UniFi Cloud Gateways WiFi Switching Cloud Keys & Gateways Camera Security Door Access Phone System New Integrations Accessories

Camera Security / AI Theta Pro

Datasheet

Installation Guide

Marketing Images



Mechanical

Dimensions

UVC-AI-Theta-Hub: 140 x 70 x 38 mm (5.5 x 2.8 x 1.5")
UVC-AI-Theta-ProLens360: Ø36.6 x 58.9 mm (Ø1.4 x 2.3")
UVC-AI-Theta-ProLens360 Flush Mount: Ø54.6 x 60.4 mm (Ø2.2 x 2.4")

Weight

UVC-AI-Theta-Hub: 330 g (11.6 oz)
UVC-AI-Theta-Hub Mount: 35 g (1.2 oz)
UVC-AI-Theta-ProLens360: 58 g (2 oz)
UVC-AI-Theta-ProLens360 Flush Mount: 24 g (0.8 oz)

Enclosure materials

UVC-AI-Theta-Hub: aluminum alloy
UVC-AI-Theta-ProLens360: aluminum alloy, polycarbonate

Mount materials	UVC-AI-Theta-Hub: aluminum alloy UVC-AI-Theta-ProLens360 Flush Mount: polycarbonate
Cable jacket enclosure dimensions	28 x 13 x 7.5 mm (1.1 x 0.5 x 0.3")
Cable jacket enclosure material	PVC
Cable length	1 m (3.3 ft)
Cable diameter	3.7 mm (0.15")
Cable jacket material	Woven fabric
Cable weight	18 g (0.63 oz)
Cable connector type	Theta proprietary

Optics

Sensor	8MP 1/1.8" CMOS sensor
Lens	Fixed focal length
View angle	H: 180°, V: 180°, D: 180°

Video

Video compression	H.264
Resolution	4MP 2160 x 2160 (1:1)
Max. frame rate	24 FPS
Image settings	Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay
Power supply	5V DC, 0.5A

System

Processor	Quad-core Arm® Cortex®-A53 based chip
Networking interface	GbE RJ45 port
Max. power consumption	12.5W
Power method	PoE
Supported voltage range	37–57V DC
Output power	5V DC, 1A per port
Display	0.96" color display
Button	Factory reset
Mounting	Wall, ceiling mount
Operating temperature	-20 to 40° C (-4 to 104° F)
Operating humidity	10 to 90% noncondensing
Certifications	FCC, IC, CE

Software

UniFi OS application	UniFi Protect
Mobile app	UniFi Protect iOS™ and Android™

Stay in Touch

[Terms and Conditions](#) | [Terms of Service](#) | [Privacy Policy](#) | [Return Policy](#) | [Cookies Settings](#)

© 2023 Ubiquiti, Inc. All rights reserved.